Permatex, Inc. 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex

(877) 376-2839

Emergency: 800-255-3924 (ChemTel) International Emergency: +01-813-248-0585

Material Safety Data Sheet

PRODUCT IDENTIFICATION

Product Name:

BEARING MOUNT FOR CLOSE FITS 250ML

Item No: **Product Type:**

60925 Anaerobic

Component	Weight%	N INGREDIENTS ACGIH: TLV-TWA	OSHA PEL
METHACRYLATE MONOMER 25852-47-5	55-75	Not listed	Not listed
P-HYDROXYETHYL METHACRYLATE 368-77-9	15-35	Not listed	Not listed
COUMARONE-INDENE RESIN MIXTURE)	<10	Not listed	Not listed
OLY(ETHYL METHACRYLATE) 003-42-3	<5	Not listed	Not listed
DIMETHYLBENZYL HYDROPEROXIDE 0-15-9	<3	Not listed	Not listed

HAZARDS IDENTIFICATION

Toxicity:

May cause eye and skin irritation. At elevated temperatures may cause irritation of the respiratory tract. Irritates mucous membranes. Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. May cause skin sensitization.

Primary Routes of Entry:

Eye and skin contact, ingestion, inhalation

Signs and Symptoms of Exposure:

May cause redness to eyes and irritation to nasal passages. Repeated skin contact may cause allergic skin reactions. Ingestion may cause nausea and vomiting. Inhalation overexposure may cause irritation, coughing and flu-like symptoms. May cause pain, redness or swelling of the eyes and excessive blinking

and tear production.

Medical Conditions Recognized as Being Aggravated by Exposure:

May aggrevate preexisting dermatitis.

FIRST AID MEASURES

Ingestion:

If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention.

Inhalation:

Move to fresh air in case of accidental inhalation of vapours. Oxygen or artificial respiration if needed.

Obtain medical attention.

Skin Contact: Eye Contact:

Wash off with soap and water. If skin irritation persists, call a physician.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical

attention if irritation persists.

FIRE FIGHTING MEASURES

Flash Point °F(C°):

>200°F PMCC

Recommended Extinguishing Media:

Water fog, carbon dioxide, foam, dry chemical.

Special Fire-Fighting Procedures:

Firefighters should wear self-contained breathing apparatus.

Hazardous Products of Combustion:

Oxides of carbon

Unusual Fire/Explosion Hazards:

None reasonably foreseeable.

Lower Explosive Limit: **Upper Explosive Limit:**

Not determined Not determined Product Name: BEARING MOUNT FOR CLOSE FITS

250ML

ACCIDENTAL RELEASE MEASURES

Spill Procedures: Maintain good ventilation. Take up with an inert absorbent. Store in a closed waste container until disposal.

7. HANDLING AND STORAGE

Storage:

Store below 100°F.

Handling:

Avoid prolonged skin contact. Keep away from eyes. Do not inhale vapors. Wash thoroughly after

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes:

Safety glasses

Skin:

Neoprene or nitrile gloves recommended.

Ventilation:

Respiratory Protection:

General; local exhaust ventilation as necessary to control any air contaminants to within their exposure limits (or to the lowest feasible levels when limits have not been established) during the use of this product.

Item No: 60925

An approved organic vapor respirator should be worn when exposures are expected to exceed the applicable limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Green liquid Irritating

Odor: **Boiling Point:**

Not determined

pH:

Does not apply

Solubility in Water:

Insoluble

Specific Gravity:

1.05-1.15

VOC(Wt.%):

<2%

Vapor Pressure:

5 mm Hg @ 25°C

Vapor Density (Air=1):

>1

Evaporation Rate:

Not determined

10. STABILITY AND REACTIVITY

Chemical Stability:

Stable at normal conditions

Hazardous Polymerization:

Will not occur

Incompatabilities:

Oxidizing agents, Active metals

Conditions to Avoid:

Heat.

Hazardous Products of Combustion:

Oxides of carbon

11. TOXICOLOGICAL INFORMATION

See Section 3

ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations...

US EPA Waste Number:

NH - Not a RCRA Hazardous Waste Material

14. TRANSPORTATION INFORMATION

DOT (49CFR 172)

Ground Transport (DOT)

DOT Shipping Name:

Not regulated

Hazard Class: UN/ID Number: None None

IATA

Proper Shipping Name:

Not regulated

Class or Division:

None

UN/ID Number:

None

IMDG

Proper Shipping:

Not regulated

Hazard Class:

None

2 of 3

Product Name: BEARING MOUNT FOR CLOSE FITS

UN Number:

None

Marine Pollutant:

None

15. REGULATORY INFORMATION

SARA 313 Chemicals: The following component(s) is listed as a SARA Section 313 Toxic Chemical.

DIMETHYLBENZYL HYDROPEROXIDE

California Proposition 65: No California Prop 65 chemicals are known to be present at or above the No Significant Risk Level

TSCA Inventory Status: All components of this product are listed (or exempt) on the EPA TSCA inventory.

16. OTHER INFORMATION

Estimated NFPA Rating:

HEALTH 2, FLAMMABILITY 1, REACTIVITY 1.

Estimated HMIS Classification:

HEALTH 2, FLAMMABILILTY 1, PHYSICAL HAZARD 0

NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By: Company:

Denise Boyd, Manager-Environmental, Health & Safety

Permatex. Inc. 10 Columbus Blvd. Hartford, CT USA 06106

Revision Date: December 07, 2010 Revision

Item No: 60925

Number:

Telephone No.:

1-87-Permatex (877) 376-2839