SAFETY DATA SHEET



1. Identification

Product identifier

CIMTAP®

TAPPING COMPOUND

Other means of identification

SDS number

Not applicable

Recommended use

TAPPING COMPOUND

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

513-458-8100

Telephone (General

Information)

Emergency telephone

number

Emergency telephone

number (outside USA)

1-800-424-9300 (CHEMTREC)

1-703-527-3887 (CHEMTREC)

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Serious eye damage/eye irritation

Category 2A

Reproductive toxicity

Effects on or via lactation

Environmental hazards

Hazardous to the aquatic environment, acute

hazard

Category 1 Category 2

Hazardous to the aquatic environment.

long-term hazard

OSHA defined hazards

Not classified.

Label elements



Signal word

Hazard statement

Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Wash thoroughly after handling. Avoid release to the environment, Wear eye/face protection.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. iF INHALED: Remove person to fresh air and

keep comfortable for breathing. Get medical advice/attention if you feel unwell.

Storage

Keep container tightly closed. Protect from sunlight. Store in a well-ventilated place. Store away from incompatible materials. Store in accordance with local/regional/national/international

regulations.

Disposal

Dispose of contents/containes in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

Material name: CIMTAP®

SDS US Version #: 02 Issue date: 11-11-2014 1/8

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN		63449-39-8	10 - 30
ARYL, ALKYL DERIVS., SULFONATED SODIUM SALTS	with	148520-82-5	3 - 7
SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES		64742-52-5	3 - 7
Other components below reportable levels	3		40 - 70

The exact percentages of hazardous ingredients have been withheld as a trade secret.

4. First-aid measures

Inhalation Skin contact Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation occurs: Get medical advice/attention.

Eye contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

General information

Do not induce vomiting. Rinse mouth. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.

Most important symptoms/effects, acute and delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

Defatting of the skin.

delayed Indication of immediate

Provide general supportive measures and treat symptomatically.

medical attention and special treatment needed

Call a physician if symptoms develop or persist. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Never return spills to original containers for re-upe. For waste disposal, see section 13 of the SDS. Do not flush spill to drain.

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

Material name: CIMTAP® SDS US

2/8

7. Handling and storage

Precautions for safe handling

Keep away from heat and sources of ignition. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not breathe vapor. Do not ingest. Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Use only in

well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Practice good housekeeping. Avoid release to the environment. Do not empty into drains. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

Conditions for safe storage, including any incompatibilities Do not handle or store near an open flame, heat or other sources of ignition. To maintain product quality, do not store in heat or direct sunlight. Keep containers closed when not in use. Store away from incompatible materials (see Section 10 of the SDS). Room temperature - normal conditions. Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

U.S. - OSHA

	Туре	Value	
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)	PEL	5 mg/m3	
ACGIH			
	Туре	Value	
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3	
maarina midallissa	On a superficient I E		

Exposure guidelines

Appropriate engineering controls

Occupational Exposure Limits are not relevant to the current physical form of the product.

Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions, If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin protection

Hand protection

Use protective gloves made of: Nitrile.

Wear suitable protective clothing and gloves. Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

TRANSLUCENT

Physical state

Liquid.

Form

Paste.

Color

Not available.

Odor

CHEMICAL

Odor threshold

Not available.

На

Not Applicable

Melting point/freezing point

Initial boiling point and boiling

34 °F (1.1 °C) Not Applicable

range

Material name: CIMTAP®

SDS US Version #: 02 Issue date: 11-11-2014 3/8 Flash point **Evaporation rate** Not Applicable

Flammability (solid, gas)

Not available. Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)

100 % Water Miscible

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Specific gravity

1.063 @ 60°F

VOC ASTM D2369

0 %

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur. No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Strong acids. Strong oxidizing agents.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation

No adverse effects due to inhalation are expected.

Skin contact

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact

Causes serious eye irritation,

Ingestion

May be harmful if swallowed and enters airways. However, ingestion is not likely to be a primary

route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision.

Information on toxicological effects

Acute toxicity

Components

Species

Test Results

ARYL, ALKYL DERIVS., SULFONATED SODIUM SALTS (CAS 148520-82-5)

Acute

Oral

LD50

Rat

404 mg/kg

Material name: CIMTAP®

Version #: 02 Issue date: 11-11-2014

SDS US

Components Species Test Results

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

Acute

Dermal

LD50 Rabbit

> 5000 mg/kg

Inhalation

LC50

Rat

> 5 mg/l, 4 hours

Oral

LD50

Rat

> 5000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

No data available.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure
Aspiration hazard

May be harmful if swallowed and enters airways.

12. Ecological information

Ecotoxicity

Contains a substance which causes risk of hazardous effects to the environment. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is

expected.

Components

Species Test Results

C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN (CAS 63449-39-8)

Aquatic

Fish

LC50

Bluegill (Lepomis macrochirus)

> 0.1 mg/l, 96 hours

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

Aquatic

Acute

Crustacea

EC50

Daphnia

> 1000 mg/l, 48 hours

Fish

LC50

Fathead minnow (Pimephales promelas) > 30000 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Other adverse offers

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Do not re-use empty containers. Since emptied containers may retain product residue, follow label

warnings even after container is emptied.

14. Transport information

DOT

UN number

UN3082

UN proper shipping name

Environmentally hazardous substances, liquid, n.o.s., (C14-C17 MEDIUM CHAIN

CHLORINATED PARAFFIN), MARINE POLLUTANT

Transport hazard class(es)

Class

9 _

Subsidiary risk Label(s)

9

Packing group

Ш

Environmental hazards

Marine pollutant

Yes

Special provisions

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions Packaging non bulk

155 203

Packaging bulk

241

Supplemental Information: 49CFR 171.4 excludes "non-bulk" packages (119 gallons or less) from Marine Pollutant Requirements unless all or part of the shipment is by vessel.

Supplemental Information: Air shipment is not allowed for this product when packaged in Case lot quantity. Case lot quantity packaging does not meet requirements of "49 CFR Part 178 Specifications for Packaging" for this mode of transport.

IATA

UN number

UN3082

UN proper shipping name

Environmentally hazardous substance, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED

PARAFFIN)

Transport hazard class(es)

Class

9

Subsidiary risk

Ш

Packing group **Environmental hazards**

Yes

ERG Code

91

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only

Allowed.

Supplemental Information: Air shipment is not allowed for this product when packaged in Case lot quantity. Case lot quantity packaging does not meet requirements of "IATA Dangerous Goods Regulations, Section 6 Packaging Specifications and Performance Tests" for this mode of transport.

IMDG

UN number

UN3082

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C14-C17 MEDIUM CHAIN

CHLORINATED PARAFFIN), MARINE POLLUTANT

Transport hazard class(es)

Class

Packing group

EmS

9

Subsidiary risk

Ш

Environmental hazards

Marine pollutant

Yes

F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

DOT: IATA: IMDG



Marine pollutant



General information

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Not regulated.

Administration (FDA)

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

California South Coast Air **Quality Management** District (SCAQMD) Rule 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 0 g/L, measured by ASTM Method E-1868-10. This product has a specified VOC limit of 50 g/L.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date

11-11-2014

Revision date

07-06-2015

Version #

02

Further information

Not available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision Information

Composition / Information on Ingredients: Component Summary Material Attributes & Uses; Experimental Data: Product Uses

HazReg Data: International Inventories

GHS: Classification

Material name: CIMTAP®

SDS US Version #: 02 Issue date: 11-11-2014