

Material Safety Data Sheet

PRODUCTO™ DC-801

HIGHLY ALKALINE CLEANER CONCENTRATE

DATE EFFECTIVE: 09-21-2010

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer:

CIMCOOL® Industrial Products LLC

3000 Disney Street

Cincinnati, OH 45209 United States

Emergency:

Telephone (USA): 1-800-424-9300 (CHEMTREC)

Telephone (Outside USA): 1-703-527-3887 (CHEMTREC)

General Information:

Telephone: 1-513-458-8199

Generic Name:

Water Soluble Parts Cleaner Concentrate

2 EMERGENCY INFORMATION

Product is strongly alkaline. Product concentrate is corrosive to skin and eyes. Highway spills could result in slippery conditions. No other significant health effects are associated with this material.

3 POTENTIAL HEALTH EFFECTS OF DIRECT EXPOSURE

Product

Product at Use Dilution

Inhalation:

Not Applicable

Extended exposure to mist may cause upper

respiratory irritation.

Eye Contact:

Product is corrosive to eyes.

Will cause stinging sensation in the eye.

Skin Contact:

Product is corrosive to skin.

Not irritating to the skin when used as directed and

good personal hygiene is practiced.

Ingestion:

Not orally toxic; however, can cause digestive tract burns or can be a pulmonary aspiration hazard if swallowed and/or vomiting occurs - can enter lungs

Not orally toxic; however, can cause digestive tract Swallowing small quantities may cause diarrhea,

nausea or vomiting.

and cause damage.

Medical Conditions generally aggravated by exposure

May aggravate existing skin irritation where further defatting or skin penetration could occur.

Skin irritation (redness and dryness of hands) may be experienced when the diluted product has been contaminated by certain oils, by dissolved metals, or when mix ratio is too strong. When problems occur, use of water-resistant barrier creams may be a temporary control measure. Contact CIMCOOL® Industrial Products LLC Technical Services at 1-513-458-8199 for specific recommendations.

When used in applications generating high levels of mist, operator exposure can be minimized by proper ventilation, use of mist collectors or splash guards, as appropriate. If there is doubt about actual mist levels present, monitoring should be conducted. Contact CIMCOOL® Industrial Products LLC at 1-513-458-8199 for specific recommendations.

Carcinogen Listings:

NTP: No

IARC: No

OSHA: No

Material Name: PRODUCTO™ DC-801

67XMF426

Effective Date: 09-21-2010

Signs and symptoms of exposure

Acute

Eye injury may result from contact with product. Skin irritation can result from improper use and handling of product.

4 EMERGENCY AND FIRST AID PROCEDURES

Eyes

In case of eye contact, flush immediately with running water for at least 15 minutes, and get prompt medical attention.

Skin Contact

For skin contact flush with large amounts of water while removing contaminated clothing. Remove contaminated shoes and clothing and launder before reuse. If irritation persists, get medical attention.

Diluted product is not irritating to the skin when used as recommended and good personal hygiene is practiced.

Ingestion

If the material is swallowed, DO NOT INDUCE VOMITING. Immediately contact a physician and obtain treatment. Dilute by drinking water followed by fruit juice or vinegar. Swallowing small quantities of diluted product may cause nausea, diarrhea or abdominal distress.

Inhalation

Inhalation can occur in applications where high mist levels are generated. OSHA has set a PEL of 15 mg/m³ for any airborne particulate as a nuisance level of exposure. NIOSH has set a REL of 0.5 mg/m³ for metalworking fluid mist. If symptoms are experienced, remove source of contamination or move victim to fresh air. If symptoms persist, get medical attention.

5 CONTROL MEASURES

Respiratory protection

Product is not volatile. In case of insufficient ventilation wear suitable respiratory equipment.

Caution

The appropriate use and type of respirator is dependent upon use of the product and local operating conditions.

Ventilation

For most applications, adequate shop ventilation is needed. However, when high mist levels are generated or where machines are close together or ventilation is inadequate, operators may experience respiratory irritation. For such applications, use of splash guards or mist collectors is recommended.

Eye protection

Proper metalworking plant eye protection required when handling product concentrate.

Other protective clothing or equipment

Use effective metalworking plant protective clothing as appropriate.

Work / Hygiene Practices

Good personal hygiene should always be followed.

Protective Gloves

Impervious gloves, such as nitrile gloves, are recommended when handling product concentrate.

Material Name: PRODUCTO™ DC-801 Effective Date: 09-21-2010

67XMF426 2 / 6

HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

These ingredients may contribute to the acute product hazards listed under the Potential Health Effects section. Other substances, not hazardous under the OSHA Hazard Communication Standard, may be present. Further composition information may be available to health professionals as provided in the Standard.

Component		
D-LIMONENE	CAS #	Percent
	138-86-3	10 - 30
2-BUTOXYETHANOL	111-76-2	5 - 10
NONYLPHENOL ETHOXYLATE	9016-45-9	3 - 7
DODECYLBENZENE SULFONIC ACID	27176-87-0	1 - 5
		1-5

FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media

Not Applicable

Hazardous Combustion Products

Smoke, fumes, oxides of sulfur, and oxides of carbon

Flash Point:

Not Applicable

Lower Explosive Limit:

Not Applicable

Upper Explosive Limit:

Not Applicable

HMIS RATINGS

Health

3

Flammability Classification

0

Reactivity

0

NFPA RATINGS

Health

3

Flammability Classification

Reactivity

0 0

ACCIDENTAL RELEASE MEASURES

Contain the spill, collect on absorbent material, and discard as dictated by Federal, state and local regulations that may apply. Flush area thoroughly with water.

Reportable Quantity:

None

WASTE DISPOSAL

For Used Product

Disposal procedures must comply with local, county, state and Federal regulations. If pre-treatment is needed, ultrafiltration, emulsion breaking or evaporation may be used. Contact CIMCOOL® Industrial Products LLC at 1-513-458-8199 for assistance.

For Unused Product

Product is not a hazardous waste as defined under 40 CFR 261. Contact CIMCOOL® Industrial Products LLC at 1-513-458-8199 for assistance.

Material Name: PRODUCTO™ DC-801

67XMF426

Effective Date: 09-21-2010

Empty Containers

Empty containers will contain a residue which is not considered a hazardous waste under RCRA regulations. Drums can be drained to a "drip dry" condition by inversion and can be offered for recycling or scrap.

10 HANDLING AND STORAGE

Avoid contact of product with eyes or skin. Wash thoroughly after handling. Do not swallow. Do not store product concentrate in direct sunlight or elevated temperatures. If frozen, thaw completely at room temperature prior to use. Use only as recommended by CIMCOOL® Industrial Products LLC .

Other Precautions

Not applicable.

11 PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point:

212 °F (100 °C)

Specific Gravity:

0.97

Evaporation Rate:

Like water when diluted

Solubility (H2O):

100 % Miscible

Volatile Organic Content (by

Not Determined

ASTM D2369):

pH (Concentrate):

12.0

pH (Mix):

8.3 @ 2%

Recommended Starting

2 %

Dilution:

Appearance/Odor:

Clear/Chemical

12 REACTIVITY

Stability

Stable under normal conditions.

Conditions to avoid

Use as directed.

Materials to avoid

Avoid contact with strong acids or oxidizers to product.

Hazardous Polymerization

Will not occur.

Combustion Products

Smoke, fumes, oxides of sulfur, and oxides of carbon

13 TRANSPORTATION INFORMATION

Material Name: PRODUCTO™ DC-801 Effective Date: 09-21-2010

67XMF426

4/6

BY LAND

Hazardous Materials Description and Proper Shipping Name (49 CFR 172.101)

Corrosive liquid, n.o.s. (contains potassium hydroxide)

Hazard Class (49 CFR 172.101):

Identification Number: UN1760

Packaging Group:

111

BY AIR OR VESSEL

Hazardous Materials Description and Proper Shipping Name (49 CFR 172.101)

Corrosive liquid, n.o.s. (contains potassium hydroxide)

Hazard Class (49 CFR 172.101):

Identification Number:

UN1760

Packaging Group:

111

14 REGULATORY INFORMATION

EXPOSURE GUIDELINES

REGULATED MATERIAL OSHA PEL OSHA STEL ACGIH TLV ACGIH STEL NIOSH REL

METALWORKING FLUID MIST 0.5 ma/m³

CERCLA

No components of this product are present at levels which require reporting under 40 CFR 302.4.

EPCRA (SARA) TITLE III Extremely Hazardous Substances (302): None

Hazardous Substances (311/312)

Product is a hazardous substance as defined under the OSHA Hazard Communication Standard and may be reportable under the provisions of SARA Sections 311 and 312.

HAZARD CATEGORIES

Acute Health: Yes Chronic Health: No

Fire: No

Sudden Release of Pressure: No.

Reactive: No

RCRA

Product concentrate does not meet the definition of a hazardous waste as defined under 40 CFR 261. It is possible that in use, the product may be contaminated by metals or by chlorinated solvents and the final waste may meet the TCLP definition. Each facility should assess each waste stream to determine if the used fluid should be treated as a hazardous waste

TSCA

The ingredients of this product are on the TSCA inventory.

State Right to Know

Many states have enacted Community Right-To-Know laws which require information beyond that mandated by federal laws. Since some of these laws are inconsistent with the federal laws, the information in this sheet may not fully meet the requirements of every state.

This product is not subject to California's South Coast Air Quality Management District Rule 1144 (Rule only applicable to Vanishing Oils and Rust Inhibitors).

Material Name: PRODUCTO™ DC-801 Effective Date: 09-21-2010

67XMF426

Toxic Substances (313)

Component

CAS#

Max % Comments

Glycol Ethers

111-76-2

10%

GLOSSARY OF ABBREVIATIONS

ACGIH

American Conference of Governmental Industrial Hygenists

CAS

Chemical Abstracts Service

CERCLA

Comprehensive Environmental Response Compensation and Liability Act

CFR

Code of Federal Regulations

COC

Cleveland Open Cup

DOT

Department of Transportation

EPCRA

Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC

International Agency for Research on Cancer

NIOSH

National Institute for Occupational Safety and Health

NTP

National Toxicology Program

OSHA

Occupational Safety and Health Administration

PEL

Permissible Exposure Limit

RCRA

Resource Conservation and Recovery Act

REC

Recommended

REL

Recommended Exposure Limit

SARA

Superfund Amendments and Reauthorization Act

STEL

Short-Term Exposure Limit

TCLP

Toxicity Characteristics Leaching Procedure

TLV

Threshold Limit Value

TSCA

Toxic Substances Control Act

VOC

Volatile Organic Compounds

Disclaimer

NOTE: The opinions expressed herein are those of qualified experts within CIMCOOL® Industrial Products LLC and of their suppliers. We believe that the information contained herein is current as of the date of this Material Safety Data Sheet. Since the use of this information and of these opinions and the condition and use of the product are not within the control of CIMCOOL® Industrial Products LLC, it is the user's obligation to determine the conditions of safe use of the product.

Material Name: PRODUCTO™ DC-801

67XMF426

Effective Date: 09-21-2010