



SECTION I. PRODUCT / SOURCE IDENTIFICATION

Trade Name : **JACK'S GREEN SLIME**
 Description : Hydrocarbon grease with organic and inorganic additives.
 Chemical Family : Polytetrafluoroethylene (Teflon)
 Manufacturer's Name : The Texacone Company
 Address : 4111 Forney Ave.
 Mesquite, Texas 75149
 Telephone : (972) 288-4404 Emergency Telephone No : (214) 363-1891
 Date Prepared : July 6, 2004

SECTION II. HAZARDOUS INGREDIENTS INFORMATION

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)
Pigments		N/A
Catalyst		N/A
Vehicle		N/A
Solvent		N/A
Additives		N/A
Others		N/A
ALLOYS AND METALLIC COATINGS	%	TLV (Units)
Base Metal		N/A
Alloys		N/A
Metallic Coatings		N/A
Filler Metal Plus Coating or Core Flux		N/A
Others		N/A
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES	%	TLV (Units)
N/A		

SECTION III. PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING POINT (°F) : N/A SPECIFIC GRAVITY (H₂O=1) : 1.11
 VAPOR PRESSURE (mm Hg) : N/A PERCENT, VOLATILE BY VOLUME (%) : N/A
 VAPOR DENSITY (AIR =1) : N/A EVAPORATION RATE : N/A
 SOLUBILITY IN WATER : Insoluble
 APPEARANCE AND ODOR : Light green, buttery consistence, slightly mineral oil odor

SECTION IV. FIRE AND EXPLOSION HAZARD DATA

FLAMMABLE LIMITS : N/A
 EXTINGUISHING MEDIA : CO₂, dry chemical or foam
 SPECIAL FIRE FIGHTING PROCEDURES : Use self contained breathing apparatus.
 Use water spray to cool containers exposed to fire.
 UNUSUAL FIRE AND EXPLOSION HAZARDS : May produce toxic fumes at temp. above 930°F

SECTION V. REACTIVITY DATA

STABILITY : Stable
 INCOMPATIBILITY (Materials to avoid) : Strong oxidizers
 HAZARDOUS DECOMPOSITION PRODUCTS : Incomplete combustion can yield CO, various hydrocarbons.
 HAZARDOUS POLYMERIZATION : Will not occur

SECTION IV. PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED : Pick up and place in container for disposal.
 WASTE DISPOSAL METHOD : Dispose of in an approved landfill for lubricants.
 Burning is not recommended.

SECTION VII. HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE : Primary hazard associated with grease in high pressure gun. If injected under the skin, necrosis could result. Possible irritation with repeated or prolonged contact.
 EMERGENCY AND FIRST AID PROCEDURES
 EYES : Flush with water for at least 15 minutes. If irritation occurs consult physician.
 SKIN : Wash with soap and water. If irritation occurs consult a physician.
 INGESTION : Do not induce vomiting, seek medical advice.

SECTION VIII. CONTROL MEASURES

RESPIRATORY PROTECTION : N/A
 VENTILATION : N/A
 PROTECTIVE GLOVES : Grease resistant gloves
 EYE PROTECTION : Goggles or safety glasses
 OTHER PROTECTIVE EQUIPMENT : N/A