



Revision 5

MATERIAL SAFETY DATA SHEET

LPS® PSC Plastic Safe Cleaner

Revision Date 9/29/2009

Supersedes: 11/6/2008

Section 1 – Identification

Product Name: LPS® PSC Plastic Safe Cleaner

Part Number: 04620, C04620

Chemical Name: Halogenated hydrocarbon mixture

Product Use: An aerosol remover of dirt, moisture, dust, flux, or oxides from the internal components of electronic or precision.

Manufacturer Information: LPS Laboratories, 4647 Hugh Howell Rd., Tucker, GA, USA 30084

TEL: 1 770-243-8800

Emergency Telephone Number: 1-800-424-9300 Chemtrec;
Outside U.S.: (703) 527-3887

FAX: 1 770-243-8899

Website: <http://www.lpslabs.com>

PLAIN LANGUAGE HAZARD SUMMARY

Material Safety Data Sheets can be confusing. Federal and State laws require us to include a great deal of technical information that probably won't help the non-professional. LPS includes this "PLAIN LANGUAGE HAZARD SUMMARY" to address the questions and concerns of the average worker. If you have additional health, safety or product questions, don't hesitate to call us at 800/241-8334.

Worker Toxicity

LPS® PSC Plastic Safe Cleaner is an aerosol remover of dirt, moisture, dust, flux, or oxides from the internal components of electronic or precision equipment such as circuit boards, and the internal components of electronic devices, including but not limited to, radios, compact disc (CD) players, digital video disc (DVD) players, and computers. It contains tetrafluoroethane, trans-1, 2-dichloroethylene, and isopropyl alcohol, which can be irritating to skin, and if handled improperly, can be dangerous. We suggest you wear chemically resistant gloves and avoid extended exposure to unprotected skin. Don't get it in your eyes (it stings), or breath large amounts of the vapor, (it will dry out your nasal passages and if you breathe large amounts in poorly ventilated areas it can make you dizzy and even sick). Don't spray LPS® PSC Plastic Safe Cleaner for extended periods without adequate ventilation. If you're going to perform work involving a lot of product in a poorly ventilated area, use of a respirator or even a self-contained breathing apparatus may be necessary. For more exposure and first aid information, refer to MSDS Sections 2, 8 and 11.

Flammability

LPS® PSC Plastic Safe Cleaner has no flash point and exhibits no flame extension when sprayed into an ignition source. However, it does contain a small amount of isopropyl alcohol. If a sufficient amount of material is sprayed into a confined area and allowed to partially evaporate, conditions for flammability could exist. Do not spray onto live electrical (such as DC drive motors) equipment or in or around ignition sources. Store product away from heat sources.

Disposal

If the aerosol container of LPS® PSC Plastic Safe Cleaner will not empty and contains 1 inch (2.5 cm) or more of liquid, it will fall under at least one hazardous waste classification. If the item is exhausted of its contents and is no longer pressurized, it is not considered a hazardous waste. Treat all spent aerosol containers appropriately. See section 13 for more details.



MATERIAL SAFETY DATA SHEET

LPS® PSC Plastic Safe Cleaner

Revision 5

Revision Date 9/29/2009

Supersedes: 11/6/2008

Section 2 • Hazards Identification

*This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.*

Emergency Overview: DANGER: Vapor Harmful. Causes Irritation. Harmful or Fatal if Swallowed. Contents under pressure.

Primary route(s) of entry: Skin and Eye contact. Inhalation.

Potential Acute Health Effects:

Eyes: Irritating to eyes. May cause frostbite upon extended direct contact.

Skin: Repeated exposure may cause skin dryness or cracking. May cause frostbite upon extended direct contact.

Inhalation: Respiratory irritation. High vapor concentrations including an oxygen deficient atmosphere in enclosed areas can affect the nervous system, and can cause headache, dizziness, drowsiness.

Ingestion: Product has a low order of acute oral toxicity, but ingestion of large quantities may cause nausea, vomiting, and gastrointestinal irritation. May cause frostbite upon extended direct contact. May cause injury if aspirated into lungs.

Potential Chronic Health Effects:

Carcinogenic Effects: NTP: No OSHA: No ACGIH: No

Mutagenic Effects: None

Teratogenic Effects: None

Target Organs: None

Medical conditions aggravated by exposure:

Persons with pre-existing central nervous system (CNS) disease, neurological conditions, skin disorders, chronic respiratory diseases, or impaired liver or kidney function should avoid exposure.

Signs and Symptoms:

Stinging in eyes. Repeated or prolonged skin contact can cause redness, irritation, and scaling of the skin (dermatitis). Breathing of high vapor concentrations may cause headaches, stupor, irritation of throat and eyes, and kidney effects.

Section 3 – Composition / Information on Ingredients

Component	CASRN	Weight Percent
1,1,1,2-Tetrafluoroethane	811-97-2	50 - 75%
Methyl Nonafluorobutyl ether	163702-07-6	5 - 10%
Methyl Nonafluoroisobutyl ether	163702-08-7	5 - 10%
1,2- Trans- Dichloroethylene	156-60-5	5 - 10%
Isopropanol	67-63-0	1 - 5



MATERIAL SAFETY DATA SHEET

LPS® PSC Plastic Safe Cleaner

Revision 5

Revision Date 9/29/2009

Supersedes: 11/6/2008

Section 4 – First Aid Measures

- Eyes:** Check for and remove contact lenses. If irritation or redness develops, flush eyes with lukewarm, clean, low pressure water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid tissue. Do not use eye ointment. Seek medical attention immediately.
- Skin:** Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. Do not use ointments. Seek medical attention if irritation persists. If frostbite occurs, warm area with lukewarm water and seek medical attention immediately.
- Inhalation:** Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.
- Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. Do not leave victim unattended. Seek medical attention immediately.

Section 5 – Fire Fighting Measures

- Products of Combustion:** Hydrogen fluoride, hydrogen chloride, chlorine, carbon monoxide and carbon dioxide.
- General Fire Hazards:** This material is not flammable under normal circumstances.
- Firefighting media:** SMALL FIRE: Use DRY chemical powder.
LARGE FIRE: Use water spray, fog or foam. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosions.
- Sensitivity to Impact:** None. **Sensitivity to Static Discharge:** None.
- Protection Clothing (Fire):** Wear protective clothing and equipment suitable for the surrounding fire, including helmet, face mask, and self-contained breathing apparatus.
- Special Remarks on Explosion Hazards:** Aerosols may explode upon heating, spread fire and overcome sprinkler systems.

Section 6 – Accidental Release Measures

- | | | |
|-------------------------------|--|--|
| Containment Procedures | Small Spill and Leak: | Absorb with an inert material and dispose of properly. |
| | Large Spill and Leak: | Dike far ahead of a liquid spill to ensure complete collection. Pick up free liquid for disposal using absorbent pads, sand, or other inert non-combustible absorbent materials. Place into appropriate waste containers for later disposal. |
| Clean-Up Procedures | Wear appropriate personal protective equipment (respiratory protection, solvent resistant gloves). Absorb spill with an inert material such as clay, vermiculite or diatomaceous earth. Place slurry in an approved chemical waste container for disposal. | |
| Evacuation Procedures | Ventilate area of leak or spill. Keep unnecessary and unprotected people away. | |
| Special Procedures | Ventilate area. Wear appropriate protective equipment during cleanup. | |



MATERIAL SAFETY DATA SHEET

LPS[®] PSC Plastic Safe Cleaner

Revision 5

Revision Date 9/29/2009

Supersedes: 11/6/2008

Section 7 – Handling and Storage

Handling: Do not allow material to come into contact with eyes or skin. Wear appropriate protective equipment during handling. Keep container closed. Do not breathe vapors or mists. Use only with adequate ventilation. Wash thoroughly after handling.

Storage: Keep in original container. Keep container tightly closed. Store in a well ventilated area away from sources of ignition.

Precautions to be taken in handling and storage: *Store aerosols as Level 1 Aerosol (NFPA 30B).* Store all materials in dry, well-ventilated area. Avoid breathing vapors.

Section 8 – Exposure Controls / Personal Protection

Component	CASRN	OSHA TWA-PEL	OSHA STEL	ACGIH TLV	ACGIH STEL	OTHER LIMITS
1,1,1,2-Tetrafluoroethane	811-97-2	Not Established	Not Established	Not Established	Not Established	1000 ppm WEEL TWA*
Methyl Nonafluorobutyl ether	163702-07-6	Not Established	Not Established	Not Established	Not Established	750 ppm AIHA TWA*
Methyl Nonafluoroisobutyl ether	163702-08-7	Not Established	Not Established	Not Established	Not Established	750 ppm AIHA TWA*
1,2- Trans- Dichloroethylene	156-60-5	200 ppm	Not Established	200 ppm	Not Established	Not Established
Isopropanol	67-63-0	400 ppm	Not Established	200 pm	400 ppm	400 ppm NIOSH TWA 500 ppm NIOSH STEL

*Note: Exposure limits provided by supplier.

Engineering measures: Provide local and/or general exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits.

Personal protective equipment:

Eye protection: Safety glasses with side shields conforming to appropriate regulations. Eye wash fountain and emergency shower facilities are recommended.

Hand protection: Normally no hand protection is required; however, if product will be sprayed for an extended period, "overspray" onto skin may occur. If so, wear chemically resistant gloves conforming to appropriate regulations (i.e., nitrile).

Respiratory protection: If airborne concentrations are above the applicable exposure limits (listed above), use NIOSH approved respiratory protection (i.e., organic cartridge).

General Hygiene Considerations: Wash thoroughly after handling. Have eye-wash facilities immediately available.



MATERIAL SAFETY DATA SHEET

LPS® PSC Plastic Safe Cleaner

Revision 5

Revision Date 9/29/2009

Supersedes: 11/6/2008

Section 9 – Physical and Chemical Properties

Appearance:	Clear liquid.	Color:	Colorless
Odour/Taste:	Mild, ethereal	Evaporation Rate:	>1(Ethyl Ether =1)
Solubility Description:	<5% by weight.	Flash Point (°C):	None.
Odor Threshold:	Not Determined.	Decomposition Temperature:	Not Determined.
Boiling Point (°C):	Not Determined	Flash Point Method:	TCC
Specific Gravity (Water=1):	1.34 @ 25°C	Auto Ignition Temperature (°C):	Not Determined
Vapour Density (air=1) :	Not Determined	Vapour Pressure:	Not Determined
V.O.C. content	30.6%, 410 g/L, 3.42#/gal per CARB definition 11.6%, 156 g/L, 1.30#/gal per EPA definition	Partition Coefficient (octanol/water):	<1
Flammable limits (estimated):	LOWER: Not available UPPER: Not available	Viscosity:	<3 cSt @ 25°C
pH:	N/A	Volatiles:	100%

Section 10 – Chemical Stability and Reactivity

Chemical Stability:	Product is stable under recommended storage conditions.
Conditions to Avoid:	Avoid contact with open flame and other hot surfaces which can cause thermal decomposition.
Incompatibility:	Extremely reactive or incompatible with oxidizing agents. Reacts violently with sodium, potassium, barium metal. Reacts with finely divided aluminum, zinc and magnesium.
Hazardous Decomposition:	Thermal decomposition may yield hydrogen fluoride, hydrogen chloride, chlorine, carbon monoxide and carbon dioxide
Hazardous Polymerization:	Will not occur.



MATERIAL SAFETY DATA SHEET

LPS[®] PSC Plastic Safe Cleaner

Revision 5

Revision Date 9/29/2009

Supersedes: 11/6/2008

Section 11 – Toxicological Information

A: General Product Information

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this preparation.

Component	CASRN	LC-50	LD-50
1, 1, 1, 2-tetrafluoroethane	811-97-2	567,000 ppm/4H/rat	Not Established
1,2- Trans- Dichloroethylene	156-60-5	24100 ppm rat	1235 mg/kg rat
Isopropanol	67-63-0	16000 ppm / 8 hr. rat	5045 mg/kg rat

Section 12 – Ecological Information

Mobility:	Semi-volatile. Readily absorbed into soil.	Persistence and degradability:	Only slightly biodegradable.
Bioaccumulative potential:	No bioaccumulation potential	Other adverse effects:	Hazardous to the aquatic environment.

Ecotoxicology

Effect on Organisms	Component	CASRN	Test	Species	Results
Acute Toxicity on Fishes	Trans-dichloroethylene	156-60-5	LC ₅₀	Pimephales promelas	81267 ug/L
	Isopropanol	67-63-0	LC ₅₀	Pimephales promelas	10,824,444 ug/L
Acute Toxicity on Daphnia	Trans-dichloroethylene	156-60-5	LC ₅₀	Daphnia magna	50050 ug/L
	Isopropanol	67-63-0	LC ₅₀	Daphnia magna	> 10000 mg/L
Bacterial inhibition	No Data Available				
Growth inhibition of algae	Trans-dichloroethylene	156-60-5	EC ₅₀	Selenastrum capricornutum	560,000 ug/L
	Isopropanol	67-63-0	EC ₅₀	Scenedesmus quadricauda	1,800,000 ug/L
Bioaccumulation in fish	Isopropanol	67-63-0	Dosage of 4,800,000 ug/L	Oncorhynchus mykiss	No Effect

Section 13 – Disposal Considerations

Waste Status: Aerosol products, if depressurized and emptied to less than 2.5 cm of fluid contents are classified as non-hazardous waste under 40 CFR 261.7 (U.S.). If disposed of in its received form, this item carries waste code D003. (U.S.)

Disposal: Waste must be disposed of in accordance with national, regional, provincial, and local environmental control regulations.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate, incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws and regulations.



MATERIAL SAFETY DATA SHEET

LPS® PSC Plastic Safe Cleaner

Revision 5

Revision Date 9/29/2009

Supersedes: 11/6/2008

Section 14 – Transportation Information

D.O.T. Ground	Shipping Name:	Consumer Commodity	UN Number:	NA
	Hazard Class:	ORM-D	Technical Name:	NA
	Subclass:	NA	Hazard Label:	ORM-D
Road/Rail - ADR/RID	UN no:	1950	ADR Class:	2
	Packing group:	NA	Classification code:	5A
	Name and Description:	Aerosols, asphyxiant	Hazard ID no:	NA
	Labeling:	NA		
IMDG-IMO	UN no:	1950	Class:	2
	Shipping Name:	AEROSOLS	Subsidiary Risk:	NA
	Labeling:	NA	Packing group:	NA
	Marine pollutant:	NO	EmS:	F-D, S-U
IATA-ICAO	UN no:	1950	Class:	2.2
	Shipping Name:	Aerosols, non-flammable	Subclass	NA
	Packing group:	NA	Packing instructions:	203, Y203 (Ltd. Qty)
	Labeling:	Non-flammable Gas		

Section 15 – Regulatory Information

U.S. Federal Regulations

RCRA Hazardous Waste No.: D003

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA)

Reportable Quantities: 1,2-Trans-dichloroethylene 156-60-5 (1000 lb)

Toxic Substances Control Act (TSCA):

All components of this product are TSCA inventory listed and/or are exempt.

Superfund Amendments and Reauthorization Act (SARA) Title III

SARA Section 311/312 (40 CFR 370) Hazard Categories:

Sudden Release of Pressure (aerosols only), Immediate (Acute) Health Hazard, Delayed (Chronic) Health Hazard

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372): None

Section 112 Hazardous Air Pollutants (HAPs): None



MATERIAL SAFETY DATA SHEET

LPS® PSC Plastic Safe Cleaner

Revision 5

Revision Date 9/29/2009

Supersedes: 11/6/2008

State Regulations

California: This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm.

California and OTC States: This product conforms to consumer regulations.

New Jersey Right to Know: 1, 1, 1, 2-Tetrafluoroethane 811-97-2 • Methyl Nonafluorobutyl Ether 163702-07-6 • Methyl Nonafluoroisobutyl Ether 163702-08-7 • 1, 2-Trans-Dichloroethylene 156-60-5 • Isopropanol 67-63-0 •

International Regulations

Canadian Environmental Protection Act: All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System WHMIS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification:

Aerosol: Class A, Class D2B



Other Regulations

Montreal Protocol listed ingredients: None.

Stockholm Convention listed ingredients: None.

Rotterdam Convention listed ingredients: None.

RoHS Compliant: Yes.

Section 16 • Other Information

MSDS#14620 Responsible Name: Clea Johnson Regulatory Affairs Coordinator	HMIS 1996		HMIS III		NFPA Flammability Health 1 1 0 Reactivity
	Health:	1	Health:	[/]1	
	Flammability:	1	Flammability:	1	
	Reactivity:	0	Physical Hazard:	2	

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Clea L Johnson, Regulatory Affairs Coordinator
LPS Laboratories
A division of Illinois Tool Works