

MATERIAL SAFETY DATA SHEET

EQUILON MSDS: 60253E-01 01/04/99

TELLUS(R) T OIL 32 (SCP)

TELEPHONE NUMBER:

24 HOUR EMERGENCY ASSISTANCE

EQUIVA SERVICES: 877-276-7283

CHEMTREC: 800-424-9300

GENERAL MSDS ASSISTANCE

877-276-7285

NAME AND ADDRESS

EQUILON ENTERPRISES LLC

PRODUCT STEWARDSHIP

P.O. BOX 674414

HOUSTON, TX 77267-4414

SECTION I

NAME

PRODUCT: TELLUS(R) T OIL 32 (SCP)
CHEM NAME: MIXTURE (SEE SECTION II-A)
CHEM FAMILY: PETROLEUM HYDROCARBON; HYDRAULIC OIL
SHELL CODE: 65437
HEALTH HAZARD: 1 FIRE HAZARD: 1 REACTIVITY: 0

SECTION II-A

PRODUCT/INGREDIENT

NO.	COMPOSITION	CAS NO.	PERCENT
---	-----	-----	-----
P	TELLUS T OIL 32 (SCP)		
1	SOLVENT DEWAXED HEAVY PARAFFINIC DISTILLATE	64742-65-0	70-80
2	SOLVENT REFINED, HYDROTREATED MIDDLE DISTILLATE	64742-46-7	10-20
3	SOLVENT REFINED HEAVY PARAFFINIC DISTILLATE	64741-88-4	2-5
4	ADDITIVE PACKAGE	MIXTURE	5-10
NFPA HAZARD RATING: HEALTH 0 FIRE 1 REACTIVITY 0			

SECTION II-B

ACUTE TOXICITY DATA

NO.	ACUTE ORAL LD50	ACUTE DERMAL LD50	ACUTE INHALATION LC50
---	-----	-----	-----
P	NOT AVAILABLE		

SECTION III

HEALTH INFORMATION

THE HEALTH EFFECTS NOTED BELOW ARE CONSISTENT WITH REQUIREMENTS UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

EYE CONTACT: BASED ON COMPONENT INFORMATION, PRODUCT IS PRESUMED TO BE PRACTICALLY NON-IRRITATING TO THE EYES.

SKIN CONTACT: BASED ON COMPONENT INFORMATION, PRODUCT IS PRESUMED TO BE PRACTICALLY NON-IRRITATING TO THE SKIN. PROLONGED AND REPEATED CONTACT MAY RESULT IN SKIN DISORDERS SUCH AS DERMATITIS. OIL ACNE OR FOLLICULITIS. ACCIDENTAL RELEASE UNDER HIGH PRESSURE APPLICATIONS MAY RESULT IN INJECTION OF OIL INTO THE SKIN CAUSING LOCAL NECROSIS.

INHALATION: THE INHALATION OF VAPORS (GENERATED AT HIGH TEMPERATURES ONLY) OR OIL MIST MAY CAUSE A MILD IRRITATION OF THE MUCOUS MEMBRANES OF THE UPPER RESPIRATORY TRACT.

INGESTION: BASED ON COMPONENT INFORMATION, PRODUCT IS NO MORE THAN SLIGHTLY TOXIC IF SWALLOWED.

SIGNS AND SYMPTOMS: IRRITATION AS NOTED ABOVE. LOCAL NECROSIS MAY BE EVIDENCED BY DELAYED ONSET OF PAIN AND TISSUE DAMAGE A FEW HOURS FOLLOWING HIGH PRESSURE INJECTION.

AGGRAVATED MEDICAL CONDITIONS:

PREEXISTING SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

OTHER HEALTH EFFECTS:

THIS PRODUCT AND ITS COMPONENTS ARE NOT CLASSIFIED AS CARCINOGENS BY INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC), NATIONAL TOXICOLOGY PROGRAM (NTP) OR OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA).

SECTION IV OCCUPATIONAL EXPOSURE LIMITS

COMP NO.	OSHA PEL/TWA	PEL/CEILING	TLV/TWA	ACGIH TLV/STEL	OTHER
---	-----	-----	-----	-----	-----
P	*5 MG/M3	NONE	*5 MG/M3	*10 MG/M3	NONE
*OIL MIST, MINERAL					

SECTION V EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: FLUSH EYES WITH WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.

SKIN CONTACT: REMOVE CONTAMINATED CLOTHING/SHOES WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER. FOLLOW BY WASHING WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. IF MATERIAL IS INJECTED UNDER THE SKIN, GET MEDICAL ATTENTION PROMPTLY TO PREVENT SERIOUS DAMAGE; DO NOT WAIT FOR SYMPTOMS TO DEVELOP.

INHALATION: REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.

INGESTION: DO NOT INDUCE VOMITING. IN GENERAL, NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES OF PRODUCT ARE INGESTED. HOWEVER, GET MEDICAL ADVICE.

NOTE TO PHYSICIAN: IN GENERAL, EMESIS INDUCTION IS UNNECESSARY IN HIGH VISCOSITY, LOW VOLATILITY PRODUCTS, I.E., MOST OILS AND GREASES.

SECTION VI SUPPLEMENTAL HEALTH INFORMATION

NONE IDENTIFIED.

SECTION VII PHYSICAL DATA

BOILING POINT (DEG F):	SPECIFIC GRAVITY (H2O = 1):	VAPOR PRESSURE (MM HG):
NOT AVAILABLE	0.8789	<0.1
MELTING POINT (DEG F):	SOLUBILITY IN WATER:	VAPOR DENSITY (AIR = 1):
-54 (POUR POINT)	NEGLIGIBLE	NOT AVAILABLE
		VISCOSITY = 31
		(CS @ 104 DEG F)

EVAPORATION RATE (NORMAL BUTYL ACETATE = 1): NOT AVAILABLE

APPEARANCE AND ODOR: CREAM WHITE OIL. SLIGHT HYDROCARBON ODOR.

PHYS/CHEM PROPERTIES: SEE ABOVE FOR DETAILS

SECTION VIII FIRE AND EXPLOSION HAZARDS

FLASH POINT AND METHOD: 320 DEG F (COC)

FLAMMABLE LIMITS/PERCENT VOLUME IN AIR: LOWER: N/AV HIGHER: N/AV

EXTINGUISHING MEDIA:

USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER.

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS:

MATERIALS WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES AND RUBBER BOOTS), INCLUDING A POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED

BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER.
UNUSUAL FIRE AND EXPLOSION HAZARDS:
NONE IDENTIFIED

SECTION IX

REACTIVITY

STABILITY: STABLE HAZARDOUS POLYMERIZATION WILL NOT OCCUR
CONDITIONS AND MATERIALS TO AVOID:

AVOID HEAT, OPEN FLAMES, AND OXIDIZING MATERIALS.

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL DECOMPOSITION PRODUCTS ARE HIGHLY DEPENDENT ON THE COMBUSTION
CONDITIONS. A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND
GASES WILL EVOLVE WHEN THIS MATERIAL UNDERGOES PYROLYSIS OR COMBUSTION.
CARBON MONOXIDE AND OTHER UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED UPON
COMBUSTION.

SECTION X

EMPLOYEE PROTECTION

RESPIRATORY PROTECTION:

IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL EXPOSURE LIMITS (SEC. IV) USE A
NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR
1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING
RESPIRATOR FOR ORGANIC VAPORS AND PARTICULATES.

PROTECTIVE CLOTHING

WEAR CHEMICAL RESISTANT GLOVES AND OTHER PROTECTIVE CLOTHING AS REQUIRED TO
MINIMIZE SKIN CONTACT. NO SPECIAL EYE PROTECTION IS ROUTINELY NECESSARY.

TEST DATA FROM PUBLISHED LITERATURE AND/OR GLOVE AND CLOTHING MANUFACTURERS
INDICATE THE BEST PROTECTION IS PROVIDED BY NITRILE GLOVES.

ADDITIONAL PROTECTIVE MEASURES:

NONE IDENTIFIED

SECTION XI

ENVIRONMENTAL PROTECTION

SPILL OR LEAK PROCEDURES:

MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE CAUTIOUS JUDGMENT WHEN CLEANING
UP LARGE SPILLS. *** LARGE SPILLS *** WEAR RESPIRATOR AND PROTECTIVE
CLOTHING AS APPROPRIATE. SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE AND
CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE/SALVAGE VESSELS. SOAK
UP RESIDUE WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL;
DISPOSE OF PROPERLY. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE. ***
SMALL SPILLS *** TAKE UP WITH AN ABSORBENT MATERIAL AND DISPOSE OF PROPERLY.

SECTION XII

SPECIAL PRECAUTIONS

MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING,
SMOKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE
REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES,
THAT CANNOT BE DECONTAMINATED. STORE IN A COOL, DRY PLACE WITH ADEQUATE
VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

SECTION XIII

TRANSPORTATION REQUIREMENTS

DEPARTMENT OF TRANSPORTATION CLASSIFICATION:

NOT HAZARDOUS BY D.O.T. REGULATIONS

DOT PROPER SHIPPING NAME: NOT APPLICABLE

OTHER REQUIREMENTS: NOT APPLICABLE

SECTION XIV

OTHER REGULATORY CONTROLS

THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE EPA/TSCA INVENTORY OF CHEMICAL

SUBSTANCES

PROTECTION OF STRATOSPHERIC OZONE (PURSUANT TO SECTION 611 OF THE CLEAN AIR ACT AMENDMENTS OF 1990): PER 40 CFR PART 82, THIS PRODUCT DOES NOT CONTAIN NOR WAS IT DIRECTLY MANUFACTURED WITH ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCES.

IN ACCORDANCE WITH SARA TITLE III, SECTION 313, THE ATTACHED ENVIRONMENTAL DATA SHEET (EDS) SHOULD ALWAYS BE COPIED AND SENT WITH THE MSDS.

SECTION XV

STATE REGULATORY INFORMATION

STATE LISTED COMPONENT

CAS NO

PERCENT

STATE CODE

BASED ON INFORMATION AVAILABLE, THIS PRODUCT DOES NOT CONTAIN ANY CHEMICAL SUBSTANCE LISTED ON A CHEMICAL SPECIFIC STATE LIST.

SECTION XVI

SPECIAL NOTES

NEW PRODUCT. ORIGINAL MSDS ISSUE.

THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON THE DATA AVAILABLE TO US AT THIS TIME, AND IS BELIEVED TO BE ACCURATE BASED UPON THAT DATA. IT IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT, FOR PURPOSE OF HAZARD COMMUNICATION. IT IS NOT INTENDED TO CONSTITUTE PRODUCT PERFORMANCE INFORMATION, AND NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE PRODUCT, UNDERLYING DATA OR THE INFORMATION CONTAINED HEREIN. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL PRODUCTS YOU BUY, PROCESS, USE OR DISTRIBUTE, AND ARE ENCOURAGED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN.

TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, YOU SHOULD CONSULT WITH YOUR LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. WE WILL NOT PROVIDE ADVICE ON SUCH MATTERS, OR BE RESPONSIBLE FOR ANY INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN. THE UNDERLYING DATA, AND THE INFORMATION PROVIDED HEREIN AS A RESULT OF THAT DATA, IS THE PROPERTY OF EQUIVA SERVICES, LLC AND IS NOT TO BE THE SUBJECT OF SALE OR EXCHANGE WITHOUT THE EXPRESS WRITTEN CONSENT OF EQUIVA SERVICES, LLC.

ENVIRONMENTAL DATA SHEET

EQUILON EDS: 60253E

TELLUS(R) T OIL 32 (SCP)

TELEPHONE NUMBER:

24 HOUR EMERGENCY ASSISTANCE

EQUIVA SERVICES: 877-276-7283

CHEMTREC: 800-424-9300

NAME AND ADDRESS

EQUILON ENTERPRISES

PRODUCT STEWARDSHIP

P.O. BOX 674414

HOUSTON, TX 77267-4414

PRODUCT CODE: 65437

GENERAL MSDS ASSISTANCE

877-276-7285

SECTION I

PRODUCT COMPOSITION

NO. COMPOSITION

CAS

PERCENT

P	TELLUS T OIL 32 (SCP)	MIXTURE	100
1	SOLVENT DEWAXED HEAVY PARAFFINIC DISTILLATE	64742-65-0	70-80
2	SOLVENT REFINED, HYDROTREATED MIDDLE DIS	64742-46-7	10-20

	TILLATE		
3	SOLVENT REFINED HEAVY PARAFFINIC DISTILLATE	64741-88-4	2-5
4	ADDITIVE PACKAGE	MIXTURE	5-10

 SECTION II SARA TITLE III INFORMATION

NO.	EHS RQ (*1)	EHS TPQ (*2)	SEC-313 (*3)	313 CATEGORY (*4)	311/312 CATEGORY (*5)
-----	----------------	-----------------	-----------------	----------------------	--------------------------

=====

BASED ON THE DATA AVAILABLE THIS PRODUCT CONTAINS NO HAZARDOUS SUBSTANCES AS DEFINED BY SARA TITLE III, SECTION 311(E).

-
- *1 = REPORTABLE QUANTITY OF EXTREMELY HAZARDOUS SUBSTANCE, SEC 302
 *2 = THRESHOLD PLANNING QUANTITY, EXTREMELY HAZARDOUS SUBSTANCE, SEC 302
 *3 = TOXIC CHEMICAL, SEC 313
 *4 = CATEGORY AS REQUIRED BY SEC 313 (40 CFR 372.65 C), MUST BE USED ON TOXIC RELEASE INVENTORY FORM
 *5 = CATEGORY (FOR AGGREGATE REPORTING REQUIREMENTS UNDER SARA 311, 312)
 HEALTH: H-1 = IMMEDIATE (ACUTE) HEALTH HAZARD
 H-2 = DELAYED (CHRONIC) HEALTH HAZARD
 PHYSICAL: P-3 = FIRE HAZARD
 P-4 = SUDDEN RELEASE OF PRESSURE HAZARD
 P-5 = REACTIVE HAZARD
-

 SECTION III ENVIRONMENTAL RELEASE INFORMATION

THIS PRODUCT IS COVERED BY EPA'S COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT (CERCLA) PETROLEUM EXCLUSION. THEREFORE RELEASES TO AIR, LAND, OR WATER ARE NOT REPORTABLE UNDER CERCLA ("SUPERFUND"). HOWEVER UNDER SECTION 311 OF EPA'S CLEAN WATER ACT (CWA), THIS PRODUCT IS CONSIDERED AN OIL. AS SUCH, SPILLS INTO OR LEADING TO SURFACE WATERS THAT CAUSE A SHEEN MUST BE REPORTED TO THE NATIONAL RESPONSE CENTER, 800-424-8802.

THIS PRODUCT IS AN OIL UNDER 49 CFR (DOT) PART 130. IF SHIPPED BY RAIL OR HIGHWAY IN A TANK WITH A CAPACITY OF 3,500 GALLONS OR MORE, IT IS SUBJECT TO THE REQUIREMENTS OF PART 130. MIXTURE SOLUTIONS IN WHICH THIS PRODUCT IS PRESENT AT 10% OR MORE MAY ALSO BE SUBJECT TO THIS RULE.

 SECTION IV RCRA INFORMATION

IF THIS PRODUCT BECOMES A WASTE, IT WOULD NOT BE A HAZARDOUS WASTE BY RCRA CRITERIA (40 CFR 261). PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON THE DATA AVAILABLE TO US AT THIS TIME, AND IS BELIEVED TO BE ACCURATE BASED UPON THAT DATA. IT IS PROVIDED INDEPENDENTLY OF ANY SALE OF THE PRODUCT, FOR PURPOSE OF HAZARD COMMUNICATION. IT IS NOT INTENDED TO CONSTITUTE PRODUCT PERFORMANCE INFORMATION, AND NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE PRODUCT, UNDERLYING DATA OR THE INFORMATION CONTAINED HEREIN. YOU ARE URGED TO OBTAIN DATA SHEETS FOR ALL PRODUCTS YOU BUY, PROCESS, USE OR DISTRIBUTE, AND ARE ENCOURAGED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED HEREIN.

TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, YOU SHOULD CONSULT WITH YOUR LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. WE WILL NOT PROVIDE ADVICE ON SUCH MATTERS, OR BE RESPONSIBLE FOR ANY INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN. THE UNDERLYING DATA, AND THE INFORMATION PROVIDED HEREIN

AS A RESULT OF THAT DATA, IS THE PROPERTY OF EQUIVA SERVICES, LLC AND IS NOT TO BE THE SUBJECT OF SALE OR EXCHANGE WITHOUT THE EXPRESS WRITTEN CONSENT OF EQUIVA SERVICES, LLC.

KAREN G. HAYNES

EQUIVA SERVICES LLC

P.O. BOX 674414

HOUSTON, TX 77267-4414

FOR ADDITIONAL INFORMATION ON THIS ENVIRONMENTAL DATA PLEASE CALL

(877) 276-7285

FOR EMERGENCY ASSISTANCE PLEASE CALL

EQUIVA SERVICES LLC: (877) 276-7283

CHEMTREC: (800) 424-9300

}