

Hollister-Whitney Elevator Corporation

#1 Hollister-Whitney Parkway Quincy, IL 62305 Phone: 217-222-0466 Fax: 217-222-0493 e-mail: info@hollisterwhitney.com www.hollisterwhitney.com


Brake Monitor, Brake Monitor Kits and Instructions

IMPORTANT: These kits are specifically designed to replace old style Brake Monitors (Cams and Phosphor Bronze Contacts) with the Micro-Switch Version. If your Brake was manufactured prior to 2004 (Brake with no Brake Monitor), this kit is not necessarily compatible. Contact Hollister-Whitney for further options.


PART NUMBER	DESCRIPTION	USE WITH THE FOLLOWING	PAGE#
102-091	Brake Monitor - HW standard	All Brakes	2
102-092	Brake Monitor - Parallel circuit w/ gold contacts	All Brakes	4
	Brake Monitor Adjustment	All Models	6
90-094	Drum Brake Kit - with 102-091 monitor	#90 Drum Brake - #43 Machine	7
90-095	Drum Brake Kit - with 102-092 monitor	#90 Drum Brake - #43 Machine	8
100-094	Drum Brake Kit - with 102-091 monitor	#100 Drum Brake - #53 & #63 Machines	9
100-095	Drum Brake Kit - with 102-092 monitor	#100 Drum Brake - #53 & #63 Machines	10
120-094	Drum Brake Kit - with 102-091 monitor	#120 Drum Brake - #74 Machines	11
120-095	Drum Brake Kit - with 102-092 monitor	#120 Drum Brake - #74 Machines	12
92-094	Disc Brake Kit - with 102-091 monitor	#92 Disc Brake - #34 Machine	13
92-095	Disc Brake Kit - with 102-092 monitor	#92 Disc Brake - #34 Machine	14
102-094	Disc Brake Kit - with 102-091 monitor	#102 & #112 Disc Brake - #44, #54 & #64 Machines	15
102-095	Disc Brake Kit - with 102-092 monitor	#102 & #112 Disc Brake - #44, #54 & #64 Machines	16
90HDW-093	Hardware Kit - #102-091 & #102-092 Monitors	#90 Drum Brake - #43 Machine	17
100HDW-093	Hardware Kit - #102-091 & #102-092 Monitors	#100 Drum Brake - #53 & #63 Machines	18
120HDW-093	Hardware Kit - #102-091 & #102-092 Monitors	#120 Drum Brake - #74 Machines	19
92HDW-093	Hardware Kit - #102-091 & #102-092 Monitors	#92 Disc Brake - #34 Machine	20
102HDW-093	Hardware Kit - #102-091 & #102-092 Monitors	#102 & #112 Disc Brake - #44, #54 & #64 Machines	21



102-091 Brake Monitor Shown, 102-092 Similar



	PARTS LIST							
ITEM	QTY	PART NUMBER	DESCRIPTION					
1	1	102-101	BASE - BRAKE MONITOR					
2	1	102-102	COVER, BRAKE MONITOR					
3	2	201-032	DUST CAP					
4	4	102-091-4	WIRE, 4" x 18 Ga (NOT SHOWN)					
5	1	102-091-5	WIRE, 7" x 18 Ga (NOT SHOWN)					
6	4	MICS-0019N	MICROSWITCH, LEVER MODIFIED (GAL) REF #BZ-2RW824-A2					
7	4	MICS-0016N	COVER, MICROSWITCH					
8	2	HWPC-0066N	RISER					
9	1	BRK3-0004N	TERMINAL ASSY, BRAKE MONITOR					
10	2	#8-32 UNC x 3/8"	SLOTTED FLANGE HEAD SELF TAPPING SCREW					
11	4	#6 - 32 UNC x 2"	ROUND HEAD MACHINE SCREW					
12	2	#6 - 32 UNC x 1-1/4"	ROUND HEAD MACHINE SCREW					
13	2	#6 - 32 UNC x 1/4"	ROUND HEAD MACHINE SCREW					
14	6	#6-32 UNC	KEPS NUT					
15	1	P-163	IMPORTANT - BRAKE MONITOR STICKER					
16	1	P-178	LABEL - 102-091 BRAKE MONITOR					
17	1	LABEL-0132N	BRAKE MONITOR STANDARD WIRING SCHEMATIC (NOT SHOWN)					



WEIGHT: 3.2 lbmass

						ATE TERMINAL CK #'S, PUR #633	LTL 1/28/14		H	OLLISTER-	WH]	ITNEY
				В	-	ATE SWITCH PART	LTL			ELEVATOR (CO. LL	C
-		UPDATE PARTS LIST, NEW T.B., PUR #1195	LTL 9/18/19	_	NEW	BERS, PUR #614 PRODUCTION T, PUR #574	9/24/13 BLG 5/01/13	TITLE		BRAKE MONITOR	ASSE	MBLY
	HOLLIS SUPP IN	S DRAWING IS SUPPLIED AS A REPRESEN STER-WHITNEY ELEVATOR CO. LLC ("MAN LY. SLIGHT ADJUSTMENTS MAY OCCUR I NSTALLATION. ANY MODIFICATIONS NOT NUFACTURER MAY AFFECT OPERATION,	NUFACTURER") H DURING MANUFA APPROVED IN W	IAS AGRE ACTURING /RITING E	EED TO G AND BY	THIRD ANGLE PRO	JECTION	DRAWN BY BLG	SCALE 1/2	MATERIAL SEE PARTS LI	ST	REFERENCE TOL. ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED
		RELEASES MANUFACTURER OF DOCUMENT CONTAINS CONFIDENTIAL ANI ANNOT BE REPRODUCED OR DIVULGED, WRITTEN AUTHORIZATION FROM TH	D PROPRIETARY IN WHOLE OR IN	PART, W				SHEET S	IZE B	DATE 4/18/2013		102-091 SHEET 1 OF 1

#102-091 BRAKE MONITOR SCHEMATIC AND WORKING PROCEDURE


WARNING: IN ORDER TO DETECT A BRAKE FAILURE, THIS BRAKE MONITOR SWITCH MUST BE PROPERLY ADJUSTED & FULLY OPERATIONAL PRIOR TO BEING PLACED INTO SERVICE.


IMPORTANT: READ ENTIRE INSTRUCTIONS BEFORE ATTEMPTING ADJUSTMENT!!!

AWARNING

SHOCK WARNING: A CTIVE ELECTRIC CIRCUITS!!

102-091 BRAKE MONITOR





BRAKE MONITOR ASSEMBLY 102-091


NORMAL BRAKE DE-ENERGIZED ALL CONTACTS ARE MADE CIRCUIT CLOSED BETWEEN BML & BM2


NORMAL BRAKE ENERGIZED CONTACTS A & D OPEN OPEN CIRCUIT BETWEEN BM1 & BM2

BRAKE FAILS TO APPLY PROPERLY (FAILS TO DROP)
CONTACTS A OR D OR BOTH FAIL TO CLOSE


EXCESSIVE BRAKE PAD WEAR OR EXCESSIVE THRUST BEARING END PLAY CONTACTS B OR C OR BOTH OPEN

BRAKE FAILS TO LIFT CONTACTS A OR D OR BOTH FAIL TO OPEN





	PARTS LIST						
ITEM	QTY	PART NUMBER	DESCRIPTION				
1	1	102-101	BASE - BRAKE MONITOR				
2	1	102-102	COVER, BRAKE MONITOR				
3	2	201-032	DUST CAP				
4	8	102-091-4	WIRE, 4" x 18 Ga (NOT SHOWN)				
5	4	MICS-0020N	MICROSWITCH, GOLD CONTACTS, LEVER MODIFIED (GAL) REF #BZ-2RW8072-A2				
6	4	MICS-0016N	COVER, MICROSWITCH				
7	2	HWPC-0066N	RISER				
8	1	BRK3-0004N	TERMINAL ASSY, BRAKE MONITOR				
9	2	#8-32 UNC x 3/8"	SLOTTED FLANGE HEAD SELF TAPPING SCREW				
10	4	#6 - 32 UNC x 2"	ROUND HEAD MACHINE SCREW				
11	2	#6 - 32 UNC x 1-1/4"	ROUND HEAD MACHINE SCREW				
12	2	#6 - 32 UNC x 1/4"	ROUND HEAD MACHINE SCREW				
13	6	#6-32 UNC	KEPS NUT				
14	1	P-163	IMPORTANT - BRAKE MONITOR STICKER				
15	1	P-179	LABEL - 102-092 BRAKE MONITOR				
16	1	LABEL-0133N	BRAKE MONITOR GOLD CONTACT WIRING SCHEMATIC (NOT SHOWN)				



WEIGHT: 3.2 lbmass

			1 ('		TE TERMINAL K #S, PUR #633	LTL 1/28/14	Γ
					TE SWITCH PART BERS, PUR #614	LTL 9/24/13	 T
D	UPDATE PARTS LIST, NEW T.B., PUR #1195	LTL 1/28/14	Α	1	PRODUCTION Γ, PUR #574	BLG 5/01/13	
TH	IS DRAWING IS SUPPLIED AS A REPRESE!	NTATION OF THE	FOLIDM	ENIT			ጕ

THIS DRAWING IS SUPPLIED AS A REPRESENTATION OF THE EQUIPMENT HOLLISTER-WHITNEY ELEVATOR CO. LLC ("MANUFACTURER") HAS AGREED TO SUPPLY. SLIGHT ADJUSTMENTS MAY OCCUR DURING MANUFACTURING AND INSTALLATION. ANY MODIFICATIONS NOT APPROVED IN WRITING BY MANUFACTURER MAY AFFECT OPERATION, VOIDS ANY WARRANTY AND RELEASES MANUFACTURER OF ALL LIABILITY.

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION THAT CANNOT BE REPRODUCED OR DIVULGED, IN WHOLE OR IN PART, WITHOUT WRITTEN AUTHORIZATION FROM THE MANUFACTURER.

THIRD ANGLE PROJECTION



HOLLISTER-WHITNEY

ELEVATOR CO. LLC

BRAKE MONITOR ASSEMBLY SWITCHES w/ GOLD CONTACTS

1					
		SCALE	MATERIAL		REFERENCE TOL.
	BY		CEE DADTO LI	СТ	ALL DIMENSIONS REFERENCE
	BLG	1/2	SEE PARTS LI	5 1	UNLESS OTHERWISE SPECIFIED
		.,	<u> </u>		
	SHEET S	IZE	DATE		102-092
		В	4/22/2013		SHEET 1 OF 1

4/22/2013 SHEET 1 OF 1

#102-092 BRAKE MONITOR SCHEMATIC AND WORKING PROCEDURE


WARNING: IN ORDER TO DETECT A BRAKE FAILURE, THIS BRAKE MONITOR SWITCH MUST BE PROPERLY ADJUSTED & FULLY OPERATIONAL PRIOR TO BEING PLACED INTO SERVICE.

IMPORTANT: READ ENTIRE INSTRUCTIONS BEFORE ATTEMPTING ADJUSTMENT!!!

▲WARNING

SHOCK WARNING: A C T I V E E L E C T R I C C I R C U I T S!!

102-092 BRAKE MONITOR



BRAKE MONITOR ADJUSTMENT: (For 102-091 &102-092 Monitors)

- 1. Adjust top bolt "in" until you hear micro switch "click".
- 2. Rotate top bolt "in" 1 full revolution then tighten jamb nut against extension arm.
- 3. Adjust bottom bolt "in" until you hear micro switch "click".
- 4. Rotate bottom bolt "out" until you hear micro switch "click"
- 5. Rotate bottom bolt "out" 1 full revolution then tighten jamb nut against extension arm.
- 6. Repeat steps 1 thru 5 on opposite side of monitor.
- 7. Cycle Brake check for micro switch activation and circuits are performing as designed.
- 8. Run machine and check adjustment when machine is at operating temperature.
- 9. Fine tuning may be needed per bolt until proper adjustment is obtained.

BOLT ADJUSTMENT DIRECTIONS


TOP BOLT

JAM NUT

BOTTOM BOLT


D

A




MONITOR KIT SHOWN INSTALLED ON #90 BRAKE. #80, 81, 85, 86, & 91 SIMILAR

	PARTS LIST								
ITEM	QTY	PART NUMBER	DESCRIPTION						
1	1	102-091	BRAKE MONITOR ASSEMBLY						
2	1	90HDW-093	90 BRAKE MONITOR - HARDWARE KIT						
2.1	2	90-093	EXTENSION - BRAKE ARM 90 - DRUM BRAKE						
2.2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW						
2.3	4	1/4" - 20 UNC	SERRATED FLANGE NUT						




									WE	IGHT: 5.253 lbmass
		С	REDF	RAW, NOTES, NEW EBLOCK, PUR #1195	LTL 9/17/19		H	OLLISTER-V	WHI	TNEY
		В	SCRE	CREWS & ETC TO LTL		TITLE		ELEVATOR C	O. LL	C
		А	NEW	PRODUCTION T, PUR #574	BLG 5/01/13		BRAKE	E MONITOR, WIRED CONTACTS - 90 DR		
HO SL	THIS DRAWING IS SUPPLIED AS A REPRESENT LLISTER-WHITNEY ELEVATOR CO. LLC ("MANL IPPLY. SLIGHT ADJUSTMENTS MAY OCCUR DI INSTALLATION. ANY MODIFICATIONS NOT A MANUFACTURER MAY AFFECT OPERATION. V	IFACTURER") HAS AG URING MANUFACTURI PPROVED IN WRITING OIDS ANY WARRANTY	REED TO ING AND BBY	THIRD ANGLE PRO	JECTION	DRAWN BY BLG	SCALE 1/4	SEE PARTS LIS	ST	REFERENCE TOL. ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED
	RELEASES MANUFACTURER OF A IS DOCUMENT CONTAINS CONFIDENTIAL AND T CANNOT BE REPRODUCED OR DIVULGED, IN WRITTEN AUTHORIZATION FROM THE	PROPRIETARY INFOF WHOLE OR IN PART,			-	SHEET S	IZE B	3/1/2013		90-094 SHEET 1 OF 1



MONITOR KIT SHOWN INSTALLED ON #90 BRAKE. #80, 81, 85, 86, & 91 SIMILAR


	PARTS LIST							
ITEM	QTY	PART NUMBER	DESCRIPTION					
1	1	102-092	BRAKE MONITOR ASSEMBLY SWITCHES w/ GOLD CONTACTS					
2	1	90HDW-093	90 BRAKE MONITOR - HARDWARE KIT					
2.1	2	90-093	EXTENSION - BRAKE ARM 90 - DRUM BRAKE					
2.2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW					
2.3	4	1/4" - 20 UNC	SERRATED FLANGE NUT					



USED ON #80, 81, 85, 86, 90, & 91 DRUM BRAKES

WEIGHT: 5.250 lbmass

	T				1 71				
			REDI	RAW, NOTES, NEW	LTL	l H	OLLISTER-	\mathbf{W}	ITNEV
		0	TITLE	E BLOCK, PUR #1195	9/17/19	1 1		AATTI	
		В			LTL	1	ELEVATOR (CO. LL	C
			HAR	DWARE KIT, PUR #846	3/22/17	TITLE			
			NEW		BLG	KIT, BRA	KE MONITOR, PARA	YLLEL '	WIRING w/GOLD
		A	PRIN	T, PUR #574	4/30/13		CONTACTS - 90 D	RUM B	RAKE
	HS DRAWING IS SUPPLIED AS A REPRESENT HSTER-WHITNEY ELEVATOR CO. LLC ("MANU			THIRD ANGLE PROJ	IECTION	DRAWN SCALE	MATERIAL		REFERENCE TOL.
SUP	PLY. SLIGHT ADJUSTMENTS MAY OCCUR DI INSTALLATION. ANY MODIFICATIONS NOT A	JRING MANÚFACTURI	NG AND	THIRD AND LET THE		BY	SEE PARTS LI	QT	ALL DIMENSIONS REFERENCE
	ANUFACTURER MAY AFFECT OPERATION, V	OIDS ANY WARRANTY				BLG 1 / 4	JEE PARTS LI	01	UNLESS OTHERWISE SPECIFIED
	RELEASES MANUFACTURER OF A DOCUMENT CONTAINS CONFIDENTIAL AND	PROPRIETARY INFOR		1 + 3(0)		SHEET SIZE	DATE		90-095
THAT	CANNOT BE REPRODUCED OR DIVULGED, IN WRITTEN AUTHORIZATION FROM THE		WITHOUT			l в	4/23/2013		SUEET 1 OE 1
								<u> </u>	SHEEL L OF L




MONITOR KIT SHOWN

INSTALLED ON #100 BRAKE.

#95, 96, 101, 105, 106,

110, & 111 BRAKES SIMILAR.


	PARTS LIST							
ITEM	QTY	PART NUMBER	DESCRIPTION					
1	1	102-091	BRAKE MONITOR ASSEMBLY					
2	1	100HDW-093	100 & 110 BRAKE MONITOR - HARDWARE KIT					
2.1	2	100-093	EXTENSION - BRAKE ARM 100 & 110 DRUM BRAKE					
2.2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW					
2.3	4	1/4" - 20 UNC	SERRATED FLANGE NUT					



USED ON #95, 96, 100, 101, 105, 106, 110, & 111 DRUM BRAKES


WEIGHT: 5.039 lbmass

		WEIGHT: 0.000 IBMG
	REDRAW, NOTES, NEW LTL TITLE BLOCK, PUR #1195 9/17/19	HOLLISTER-WHITNEY
	CREWS & ETC TO I TI	ELEVATOR CO. LLC
	HARDWARE KIT, PUR #846 3/23/17 IEW PRODUCTION BLG PRINT, PUR #574 4/30/13	KIT, BRAKE MONITOR, WIRED IN SERIES W/NORMAL
THIS DRAWING IS SUPPLIED AS A REPRESENTATION OF THE EQUIPMEN	T	CONTACTS - 100 & 110 DRUM BRAKE DRAWNI SCALE IMATERIAL DRAWNI SCALE IMATERIAL
HOLLISTER-WHITNEY ELEVATOR CO. LLC ("MANUFACTURER") HAS AGREEI SUPPLY. SLIGHT ADJUSTMENTS MAY OCCUR DURING MANUFACTURING A INSTALLATION. ANY MODIFICATIONS NOT APPROVED IN WRITING BY MANUFACTURER MAY AFFECT OPERATION, VOIDS ANY WARRANTY ANI	AND	BLG 1/4 SEE PARTS LIST REFERENCE TOL ALL DIMENSIONS REFERENCE TOL ALL DIMENSIONS REFERENCE TOL UNLESS OTHERWISE SPECIFIED
RELEASES MANUFACTURER OF ALL LIABILITY. THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMAT THAT CANNOT BE REPRODUCED OR DIVULGED, IN WHOLE OR IN PART, WITI WRITTEN AUTHORIZATION FROM THE MANUFACTURER.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SHEET SIZE DATE 100-09 B 3/1/2013 SHEET 1 OF
		SHEEL I OF



MONITOR KIT SHOWN INSTALLED ON #100 BRAKE. #95, 96, 101, 105, 106, 110, & 111 BRAKES SIMILAR.


			PARTS LIST
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	102-092	BRAKE MONITOR ASSEMBLY SWITCHES w/ GOLD CONTACTS
2	1	100HDW-093	100 & 110 BRAKE MONITOR - HARDWARE KIT
2.1	2	100-093	EXTENSION - BRAKE ARM 100 & 110 DRUM BRAKE
2.2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW
2.3	4	1/4" - 20 UNC	SERRATED FLANGE NUT



USED ON #95, 96, 100, 101, 105, 106, 110, & 111 DRUM BRAKES


WEIGHT: 5.036 lbmass

									V V L	10111. J.030 Ibiliass
				RAW, NOTES, NEW BLOCK, PUR #1195	LTL 9/17/19		H	OLLISTER-V	WHI	TNEY
				WS & ETC TO	LTL			ELEVATOR C	O. LL	C
-					BLG	TITLE KIT,	BRAK	E MONITOR, PARA	LLEL \	WIRING w/GOLD
-		A	PRIN	T, PUR #574	4/30/13		CO	NTACTS - 100 & 11	DRU	M BRAKE
	THIS DRAWING IS SUPPLIED AS A REPRESENTATION OF THE E HOLLISTER-WHITNEY ELEVATOR CO. LLC ("MANUFACTURER") HA SUPPLY. SLIGHT ADJUSTMENTS MAY OCCUR DURING MANUFAC	S AGREE	D TO	THIRD ANGLE PRO	IECTION	DRAWN BY	SCALE	MATERIAL OF F DA DEC 116	,	REFERENCE TOL. ALL DIMENSIONS REFERENCE
	INSTALLATION. ANY MODIFICATIONS NOT APPROVED IN WR MANUFACTURER MAY AFFECT OPERATION, VOIDS ANY WARR RELEASES MANUFACTURER OF ALL LIABILITY.					BLG	1/4	SEE PARTS LIS	51	UNLESS OTHERWISE SPECIFIED
	RELEASES MANDACTURER OF ALL LIABILITY. THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY I THAT CANNOT BE REPRODUCED OR DIVULGED, IN WHOLE OR IN F					SHEET S	IZE	DATE		100-095
	WRITTEN AUTHORIZATION FROM THE MANUFACTURE			'			В	4/23/2013		SHEET 1 OF 1




MONITOR KIT SHOWN INSTALLED ON #120 BRAKE. #115, 116, 121 & 125 BRAKES SIMILAR

			PARTS LIST
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	102-091	BRAKE MONITOR ASSEMBLY
2	1	120HDW-093	120 BRAKE MONITOR - HARDWARE KIT
2.1	2	120-093	EXTENSION - BRAKE ARM 120 - DRUM BRAKE
2.2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW
2.3	4	1/4" - 20 UNC	SERRATED FLANGE NUT




										WE	IGHT: 5.187 lbmass
			C	REDF	RAW, NOTES, NEW EBLOCK, PUR #1195	LTL 9/17/19		H	OLLISTER-	WHI	TNEY
			D	SCRE	EWS & ETC TO DWARE KIT, PUR #846	LTL	TITLE		ELEVATOR C	O. LL	C
			Δ	NEW	PRODUCTION T, PUR #574	BLG 5/01/13			E MONITOR, WIRED CONTACTS - 120 D		
HOLL SUP	IIS DRAWING IS SUPPLIED AS A REPRESENT ISTER-WHITNEY ELEVATOR CO. LLC ("MANL PLY. SLIGHT ADJUSTMENTS MAY OCCUR D INSTALLATION. ANY MODIFICATIONS NOT A ANUFACTURER MAY AFFECT OPERATION, V	JFACTURER") H URING MANUFA PPROVED IN W OIDS ANY WAR	AS AGRE CTURING RITING E	ED TO S AND SY	THIRD ANGLE PRO	JECTION	DRAWN BY BLG	SCALE 1/4	MATERIAL SEE PARTS LIS	ST	REFERENCE TOL. ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED
	RELEASES MANUFACTURER OF A DOCUMENT CONTAINS CONFIDENTIAL AND CANNOT BE REPRODUCED OR DIVULGED, IN WRITTEN AUTHORIZATION FROM THE	PROPRIETARY NWHOLE OR IN	PART, W			-	SHEETS	B B	3/1/2013		120-094 SHEET 1 OF 1



MONITOR KIT SHOWN INSTALLED ON #120 BRAKE. #115, 116, 121 & 125 BRAKES SIMILAR


			PARTS LIST
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	102-092	BRAKE MONITOR ASSEMBLY SWITCHES w/ GOLD CONTACTS
2	1	120HDW-093	120 BRAKE MONITOR - HARDWARE KIT
2.1	2	120-093	EXTENSION - BRAKE ARM 120 - DRUM BRAKE
2.2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW
2.3	4	1/4" - 20 UNC	SERRATED FLANGE NUT



USED ON #115, 116, 120, 121 & ALL #125 DRUM BRAKES

WEIGHT: 5.185 lbmass

		С	REDF TITLE	RAW, NOTES, NEW E BLOCK, PUR #1195	9/17/19		HC	LLISTER-	WHI	TNEY
				EWS & ETC TO	LTL			ELEVATOR C	O. LL	C
		Δ	NEW		BLG 4/30/13	KIT,		E MONITOR, PARA ONTACTS - 120 D		
HOL SU	HIS DRAWING IS SUPPLIED AS A REPRESENT, LISTER-WHITNEY ELEVATOR CO. LLC ("MANUI PPLY. SLIGHT ADJUSTMENTS MAY OCCUR DU INSTALLATION. ANY MODIFICATIONS NOT AF IANUFACTURER MAY AFFECT OPERATION, VC RELEASES MANUFACTURER OF A	FACTURER") HAS AGRE IRING MANUFACTURING PPROVED IN WRITING B DIDS ANY WARRANTY A	ED TO S AND Y	THIRD ANGLE PRO	JECTION	DRAWN BY BLG	SCALE M	SEE PARTS LIS	ST	REFERENCE TOL. ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED
	B DOCUMENT CONTAINS CONFIDENTIAL AND I CANNOT BE REPRODUCED OR DIVULGED, IN WRITTEN AUTHORIZATION FROM THE	PROPRIETARY INFORM WHOLE OR IN PART, W			•	SHEET SIZ	ZE B	DATE 4/23/2013		120-095 SHEET 1 OF 1




MONITOR KIT SHOWN INSTALLED ON BRAKE w/OLD STYLE BRAKE ARMS. ITEM 2.7 NOT USED


ON BRAKE w/CURRENT STYLE
BRAKE ARMS.
ITEMS 2.1, 2.2, 2.3, 2.4 & 2.5 NOT USED

BRAKE USED ON #34 GEARED MACHINE

			PARTS LIST
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	102-091	BRAKE MONITOR ASSEMBLY
2	1	92HDW-093	92 BRAKE MONITOR - HARDWARE KIT
2.1	2	92-093	EXTENSION ARM - 92 DISC BRAKE
2.2	2	3/8 - 16 UNC X 2.5	SQUARE HEAD SET SCREW
2.3	2	5/16-18 UNC x 0.75	SOCKET HEAD CAP SCREW
2.4	2	5/16 WASHER	STANDARD LOCK
2.5	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW
2.6	4	1/4" - 20 UNC	SERRATED FLANGE NUT
2.7	4	92-100	MONITOR ACTIVATION BOLT - 1/4"-20UNC x 1.75" SHCS - FULLY THREADED




 \bigcirc



WEIGHT: 5.263 lbmass

			\sim	BRAK PUR #		LTL 9/12/19		HC	OLLISTER-	WHI	TNEY
			В	_		LTL			ELEVATOR C	O. LL	C
	UPDATE HARDWARE, REDRAW, ADD CURRENT	LTL 9/12/19	Δ	NEW	PRODUCTION	3/7/17 BLG 5/01/13	KIT,	BRAKE	MONITOR, WIREL CONTACTS - 92 D		
HOLLI: SUPP II	IS DRAWING IS SUPPLIED AS A REPRESEN' STER-WHITNEY ELEVATOR CO. LLC ("MANL PLY. SLIGHT ADJUSTMENTS MAY OCCUR D INSTALLATION. ANY MODIFICATIONS NOT A UNUFACTURER MAY AFFECT OPERATION, V	JFACTURER") H. URING MANUFA APPROVED IN W OIDS ANY WAR	AS AGRE CTURING RITING B	ED TO G AND Y	THIRD ANGLE PRO	JECTION	DRAWN BY BLG	SCALE N	SEE PARTS LIS	ST	REFERENCE TOL. ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED
	RELEASES MANUFACTURER OF , DOCUMENT CONTAINS CONFIDENTIAL AND ANNOT BE REPRODUCED OR DIVULGED, IN WRITTEN AUTHORIZATION FROM THE	PROPRIETARY NWHOLE OR IN	PART, W				SHEET S	ize B	3/1/2013		92-094 SHEET 1 OF 1




MONITOR KIT SHOWN **INSTALLED ON BRAKE** w/OLD STYLE BRAKE ARMS. ITEM 2.7 NOT USED


> (C) MONITOR KIT SHOWN INSTALLED ON BRAKE w/CURRENT STYLE BRAKE ARMS.

ITEMS 2.1, 2.2, 2.3, 2.4 & 2.5 NOT USED

BRAKE USED ON #34 GEARED MACHINE

			PARTS LIST
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	102-092	BRAKE MONITOR ASSEMBLY SWITCHES w/ GOLD CONTACTS
2	1	92HDW-093	92 BRAKE MONITOR - HARDWARE KIT
2.1	2	92-093	EXTENSION ARM - 92 DISC BRAKE
2.2	2	3/8 - 16 UNC X 2.5	SQUARE HEAD SET SCREW
2.3	2	5/16-18 UNC x 0.75	SOCKET HEAD CAP SCREW
2.4	2	5/16 WASHER	STANDARD LOCK
2.5	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW
2.6	4	1/4" - 20 UNC	SERRATED FLANGE NUT
2.7	4	92-100	MONITOR ACTIVATION BOLT - 1/4"-20UNC x 1.75" SHCS - FULLY THREADED





WEIGHT: 5.261 lbmass

		C	BRAKE VIEW, NEW T.B., PUR #1195	LTL 9/12/19
			SCREWS & ETC TO HARDWARE KIT, PUR #846	LTL 3/7/17
UPDATE HARDWARE, REDRAW, ADD CURRENT	LTL 9/12/19	Α	PRODUCTION RELEASE, PUR #574	BLG 5/01/13

THIS DRAWING IS SUPPLIED AS A REPRESENTATION OF THE EQUIPMENT HOLLISTER-WHITNEY ELEVATOR CO. LLC ("MANUFACTURER") HAS AGREED TO SUPPLY. SLIGHT ADJUSTMENTS MAY OCCUR DURING MANUFACTURING AND SUPPLY. SLIGHT ADJUST MENTS MAY OCCUR DURING MANUFACTURING AND INSTALLATION. ANY MODIFICATIONS NOT APPROVED IN WRITING BY MANUFACTURER MAY AFFECT OPERATION, VOIDS ANY WARRANTY AND RELEASES MANUFACTURER OF ALL LIABILITY.

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION THAT CANNOT BE REPRODUCED OR DIVULGED, IN WHOLE OR IN PART, WITHOUT WRITTEN ALTHODIZATION EDOM THE MANUFACTURED.

WRITTEN AUTHORIZATION FROM THE MANUFACTURER.


THIRD ANGLE PROJECTION
I THIRD ANGLE PROJECTION

HOLLISTER-WHITNEY ELEVATOR CO. LLC


KIT, BRAKE MONITOR, PARALLEL WIRING w/GOLD **CONTACTS - 92 DISC BRAKE**


		0011171010 02 0	1000	V 11 12		
DRAWN	SCALE	MATERIAL		REFERENCE TOL.		
BY		OFF DARTOLI	от	ALL DIMENSIONS REFERENCE		
BLG	1/4	SEE PARTS LI	51	UNLESS OTHERWISE		
	1 / -			SPECIFIED		
SHEET S	IZE	DATE		92-095		
1	D	2/4/2042		02 000		
1	D	3/1/2013	3/1/2013			

3/1/2013



	PARTS LIST								
ITEM	QTY	PART NUMBER	DESCRIPTION						
1	1	102-091	BRAKE MONITOR ASSEMBLY						
2	1	102HDW-093	102 BRAKE MONITOR - HARDWARE KIT						
2.1	2	102-093	EXTENSION - BRAKE ARM 102 & 112 DISC BRAKES						
2.2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW						
2.3	4	1/4" - 20 UNC	SERRATED FLANGE NUT						
2.4	4	10-24 UNC x 0.75	SOCKET HEAD CAP SCREW						
2.5	4	#10 WASHER	STANDARD WASHER						
2.6	4	92-100	MONITOR ACTIVATION BOLT - 1/4"-20UNC x 1.75" SHCS - FULLY THREADED						






WEIGHT: 4.092 lbmass

_													
				С	1	KE VIEW, NEW T.B., #1195	LTL 9/12/19		HOLLISTER-WHITNEY				
Γ						SCREWS & ETC TO		ELEVATOR CO. LLC			C		
⊢		LIDDATE LIADDIA/ADE	1.71			•	3/7/17	TITLE		E MONITOD OFFI			
		UPDATE HARDWARE,	LTL	ι Δ	1 —	PRODUCTION	BLG			E MONITOR, SERI			
┝		· · · · · · · · · · · · · · · · · · ·	RAW, ADD CORRENT[9/12/19 PRINT			<u>T, PUR #574</u>	5/01/13	CONTACTS - 102 & 112 DISC BRAKE					
	HOLLI:	S DRAWING IS SUPPLIED AS A REPRESEN' STER-WHITNEY ELEVATOR CO. LLC ("MANI	JFACTURER") F	IAS AGRE	EED TO	THIRD ANGLE PRO	JECTION	DRAWN	SCALE I	MATERIAL		REFERENCE TOL.	
	SUPPLY. SLIGHT ADJUSTMENTS MAY OCCUR DURING MANÚFACTURING AND INSTALLATION. ANY MODIFICATIONS NOT APPROVED IN WRITING BY MANUFACTURER MAY AFFECT OPERATION, VOIDS ANY WARRANTY AND RELEASES MANUFACTURER OF ALL LIABILITY. THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION					BY		SEE PARTS LI	ST	ALL DIMENSIONS REFERENCE UNLESS OTHERWISE			
						BLG	1/4	OLL I / II (10 LI		SPECIFIED			
						SHEET S	IZE	DATE		102-094			
	THAT CANNOT BE REPRODUCED OR DIVULGED, IN WHOLE OR IN PART, WITHOUT WRITTEN AUTHORIZATION FROM THE MANUFACTURER.					В	3/1/2013		SHEET 1 OF 1				

#102 BRAKE USED ON #44 & #54 GEARED MACHINES.


ARMS. ITEM 2.6 NOT USED. #102 BRAKE SHOWN, #112 BRAKE SIMILAR


#112 BRAKE USED ON #64 GEARED MACHINE.



MONITOR KIT SHOWN INSTALLED ON BRAKE W/OLD STYLE BRAKE ARMS. ITEM 2.6 NOT USED. #102 BRAKE SHOWN, #112 BRAKE SIMILAR

PARTS LIST ITEM QTY PART NUMBER **DESCRIPTION** 102-092 BRAKE MONITOR ASSEMBLY SWITCHES w/ GOLD CONTACTS 1 102HDW-093 2 102 BRAKE MONITOR - HARDWARE KIT 1 2.1 102-093 EXTENSION - BRAKE ARM 102 & 112 DISC BRAKES 2 2.2 1/4-20 UNC x 2.75 SOCKET HEAD CAP SCREW 4 2.3 1/4" - 20 UNC SERRATED FLANGE NUT 4 SOCKET HEAD CAP SCREW 2.4 10-24 UNC x 0.75 #10 WASHER 2.5 4 STANDARD WASHER 2.6 MONITOR ACTIVATION BOLT - 1/4"-20UNC x 1.75" SHCS - FULLY THREADED 4 92-100







WEIGHT: 4.090 lbmass


_											۷V⊏	IGH1: 4.090 IDMass
				С			LTL 9/12/19		HC	OLLISTER-	WHI	TNEY
				В		EWS & ETC TO	LTL			ELEVATOR C	CO. LL	C
ļ						DWARE KIT, PUR #846	3/7/17					
		UPDATE HARDWARE,	LTL	Α	1	DUCTION RELEASE,	BLG	l KIT,	BRAK	E MONITOR, PARA	\LLEL \	WIRING w/GOLD
	C	REDRAW, ADD CURRENT	9/12/19		PUR	#574	5/01/13		CO	NTACTS - 102 & 11	12 DIS	C BRAKE
	HOLLI	S DRAWING IS SUPPLIED AS A REPRESENT STER-WHITNEY ELEVATOR CO. LLC ("MANU	JFACTURER") H.	AS AGRE	EED TO	THIRD ANGLE PRO	JECTION	DRAWN BY	SCALE I	MATERIAL		REFERENCE TOL.
	11	PLY. SLIGHT ADJUSTMENTS MAY OCCUR D NSTALLATION. ANY MODIFICATIONS NOT A NUFACTURER MAY AFFECT OPERATION, N	PPROVED IN WOODS ANY WAR	RITING E	3Y			BLG	1/4	SEE PARTS LIS	ST	ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED
	RELEASES MANUFACTURER OF ALL LIABILITY. THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION THAT CANNOT BE REPRODUCED OR DIVULGED, IN WHOLE OR IN PART, WITHOUT WRITTEN AUTHORIZATION FROM THE MANUFACTURER.			1 1 2 (4) 1		SHEET S	ZE	DATE		102-095		
							В	4/23/2013		SHEET 1 OF 1		


#102 BRAKE USED ON #44 & #54 GEARED MACHINES.


#112 BRAKE USED ON #64 GEARED MACHINE.











PARTS LIST										
ITEM	QTY	PART NUMBER	DESCRIPTION							
1	2	102-093	EXTENSION - BRAKE ARM 102 & 112 DISC							
			BRAKES							
2	4	1/4-20 UNC x 2.75	SOCKET HEAD CAP SCREW							
3	4	1/4" - 20 UNC	SERRATED FLANGE NUT							
4	4	10-24 UNC x 0.75	SOCKET HEAD CAP SCREW							
5	4	#10 WASHER	STANDARD WASHER							
6	4	92-100	MONITOR ACTIVATION BOLT - 1/4"-20UNC							
			x 1.75" SHCS - FULLY THREADED							

WEIGHT: 0.849 lbmass

						HO]	LLISTER-V	WHI	TNEY
			0, REDRAW,	LTL			ELEVATOR C	O. LL	C
	ΔP		ON RELEASE,	9/12/19 LTL 3/23/17	TITLE	102 BR	AKE MONITOR -	HARD	WARE KIT
THIS DRAWING IS SUPPLIED AS A REPRESENTATION OF THE ECULISTER-WHITNEY ELEVATOR CO. LLC ("MANUFACTURER") HAS UPPLY. SLIGHT ADJUSTMENTS MAY OCCUR DURING MANUFACTURE IN STALLATION. ANY MODIFICATIONS NOT APPROVED IN WRITM MANUFACTURER MAY AFFECT OPERATION, VOIDS ANY WARRAND TO THE PROPERTY OF THE PROPERTY	S AGREED TURING A ITING BY	AND IHIR	RD ANGLE PRO	IECTION	DRAWN BY LTL	SCALE MA	SEE PARTS LIS	ST	REFERENCE TOL. ALL DIMENSIONS REFERENCE UNLESS OTHERWISE SPECIFIED
RELEASES MANUFACTURER OF ALL LIABILITY. HIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY IN IT CANNOT BE REPRODUCED OR DIVULGED, IN WHOLE OR IN P. WRITTEN AUTHORIZATION FROM THE MANUFACTUREI	ART, WITH				SHEET S	A	3/22/2017		102HDW-093 SHEET 1 OF 1